

Nutanix NCA practice test - Nutanix Certified Associate

Question 1

When a VM generates I/O, which Nutanix component is serving the storage request?

R. CVM

Question 2

Refer to the exhibit...

Management has tasked an administrator to restore the VM, VMforQuestion to a previous point in time (3:20pm), to recover from a corrupted set of files. Which snapshot should the administrator choose, and which action(s) should be executed?

R. Snapshot 1 Details, review restore points. then Clone

Question 3

An administrator is upgrading a current three-node Nutanix cluster with new HCI nodes. Currently, the environment is based on a Single two-unit chassis hosted in one cabinet. By simply changing the system form factor, what new level of resiliency may this customer achieve?

R. Block awareness

Question 4

An application owner had reported that an AHV-based critical application VM is performing very slowly. After initial diagnostics, it has been observed that the CPU utilization is significantly higher than normal.

What two actions should the administrator take on this VM without shutting it down? (Choose two.)

R. Increase number of vCPU in Prism Element

R. Ensure CPU hot-add is supported by the Guest O

Question 5

Which Nutanix concept is responsible for accommodating and remediating node failure scenarios?

R. Data locality

Question 6

Refer to the exhibit...

During VM creation, an administrator clicked on Add New NIC, but there is nothing in the Network Name dropdown list. What is causing this issue?

R. A network was not created during Network Configuration

Question 7

Which policy specifies that a selected VM will only run on a specific group of nodes?

R. Affinity

Question 8

A customer requires the ability to block all network traffic between their VDI VMs and their application VMs running on their Nutanix AHV clusters.

What Nutanix product would meet this requirement?

R. Flow

Question 9

Refer to the exhibit.

In which VM creation stage will the administrator see this dialog?

R. During OS installation

Question 10

Refer to the exhibit...

An administrator needs to upgrade a VM to 10 virtual processors. Which action should the administrator take to complete this task?

R. Update the VM adding two cores

Question 11

An administrator needs to provide data integrity at the application level for a VM that is replicated to a secondary site. Which requirement will satisfy this task?

R. 1 VM per Schedule

Question 12

An administrator has received the following critical alert:

Node 192.168.148.172 is marked to be detached from metadata The administrator has opened a case with Nutanix and the support engineer has requested more information about the error. Which two actions should the administrator take in the Health Check dashboard to collect the requested information? (Choose two.)

R. Run the Log Collector

Question 13

Refer to the exhibit...

An administrator notices that the Data Resiliency Statue of some components has been reduced to 0. making it impossible to support a node failure in the cluster.

What type of failure is most likely the cause of this issue?

R. CVM

Question 14

An administrator is unable to discover a Nutanix-hosted iSCSI block device allocated to a bare-metal host.

What is causing this issue?

R. External host IP address is not in the Filesystem Whitelist

Question 15

Which two advanced features requires you to install Nutanix Guest Tools (NGT)? (Choose two.)

R. Disaster Recovery of a VM between AHV and ESXi Hypervisors

R. Self-service file-level recovery from VM snapshots

Question 16

An administrator wants to evaluate the overall health of the Nutanix cluster. What should be the first step?

R. Run NCC

Question 17

Refer to the exhibit...

An administrator has configured Prism Central to email daily digests of alerts on a cluster. After a week, the administrator notices that digests are not being received.

What is the most likely cause of the issue?

R. The SMTP server is not configured properly.

Question 18

An administrator should use which Nutanix component to to create in-guest clustering?

R. Volumes

Question 19

A company's security team has requested that all IT resources be hardened. What should an administrator do to increase the security of the Nutanix environment?

R. Enable Cluster Lockdown

Question 20

An administrator receives several alerts indicating a Nutanix cluster is running out of memory. As a preemptive measure, the administrator wishes to try to reduce the consumed resources, if possible. Which two predefined views for Reporting best display potentially reclaimable resources? (Choose two.)

R. list of Bully VMs

R. List of Overprovisioned VMs

Question 21

A customer is running a three-node Nutanix cluster. Which data optimization feature cannot be enabled in this scenario?

R. Inline Compression

Question 22

An administrator needs to expand a Nutanix cluster that is tagging the network traffic at the CVM and AHV level. However, the administrator doesn't remember the configured VLAN IR. Which command can the administrator run to find the correct VLAN ID from the CVM?

R. ovs-vsctl

Question 23

An administrator notices that a VM is slow and unresponsive. The administrator wants to compare performance to other VMs on cluster.

Which chart type is best suited to display multiple VM performance metrics for diagnosis?

R. Metric Chart

Question 24

An organization runs several core business applications on a Nutanix cluster. System stability and support are critical for these applications, which has an annual maintenance window.

How can the administrator assure that these requirements are met?

R. Purchase Ultimate licensing.

Question 25

Which option allows administrators to specify groups of VMs and assign them to a destination for Disaster Recovery using Leap?

R. Availability Zones

Question 26

Refer to the exhibit...

A team member has built a CentOS VM image for use as a template. An administrator deploys a new VM using the CentOS image as the OS drive. No other drives are presented to the VM. Following the deployment, the administrator attempts to boot the VM, but is unsuccessful.

What could be causing this issue?

R. The CentOS VM image was built with UEFI:

Question 27

What should an administrator do after a Protection Domain is migrated?

R. Power on Virtual Machines

Question 28

An administrator expanded the disk capacity on a Windows VM, but the VM operator saw no difference in free space. Which additional step must the administrator take?

R. Expand the current partition

Question 29

An administrator has planned a RAM upgrade on a 3-node Nutanix cluster. Which step should be performed first for a non-disruptive memory upgrade?

R. RunNCC

Question 30

Which statement best defines Replication Factor 2 (RF2)?

R. Data will be written locally, and a second copy goes to another node in the same cluster

Question 31

Which Nutanix cluster component is responsible for triggering data movement events between SSD and HDD tiers?

R. ILM

Question 32

An administrator wants a VM to communicate with two separate VLANs. What steps should the administrator complete?

R. Add two NICs to the VM and configure one for each VLAN

Question 33

Which two CVM components are used to provide data locality? (Choose two.)

R. Unified Cache

Question 34

Which Nutanix cluster component is responsible for the cluster configuration?

R. Zookeeper

Question 35

Which Distributed Storage Fabric (DSF) component is responsible for staging the area to handle bursts of random writes, coalescing them, and then sequentially draining the data to the persistent storage?

R. Oplog

Question 36

An administrator is experiencing an issue and needs to enable access for Nutanix support to login. What should the administrator do to meet this requirement?

R. Enable Remote Support from Prism Element

Question 37

An administrator has a SQL VM running, which is experiencing high disk latency. What could the administrator do to alleviate this?

R. Create another Storage Container

Question 38

Which two entity types can be exported by an administrator who only has access to Prism Element?

(Choose two.)

R. VM

R. Storage

Question 39

An administrator attempts to reinstall a VM's QuestOS, but is unable to change the legacy BIOS boot priority. Based on the exhibit, what is causing this issue?

R. The VM is currently on

Question 40

An administrator needs to provide users access to Prism Central Projects. Which source of user accounts must the administrator use?

R. Active Directory

Question 41

Refer to the exhibit...

An administrator has enabled Pulse, but is getting the error shown in the exhibit. What is causing this error message?

R. Firewall misconfiguration

Question 42

An administrator needs to replace a node in a three-node cluster. The health status for the environment is good and the cluster is able to support a single node failure.

Which step must be performed first?

R. Expand the cluster with the new node

Question 43

An administrator needs to group VMs by using a custom attribute. At the same time, this tag must not be used to configure other Nutanix services, such as Data Protection.

Which action in Prism Central should the administrator take?

R. Create a user defined category

Question 44

What is required to snapshot a group of VMs at the same point in time?

R. Consistency Group

Question 45

Which Nutanix solution would provide an organization with a Cloud DR capability for their Nutanix cluster?

R. Xi. Lap

Question 46

Refer to the exhibit...

Based on the exhibit what can be definitively determined about Host DEMO-AHV-2?

R. it has performed more on-disk lookups than the other nodes.

Question 47

An administrator has recently added two additional nodes to an existing three-node Nutanix cluster, which hosts critical business application VMs. The administrator will tolerate losing up to two nodes simultaneously within the cluster.

Which two actions are required to achieve this with minimum effort? (Choose two.)

R. Modify cluster to RF3

R. Convert container to RF3

Question 48

An administrator wants to ensure that a particular VM starts before any other VM in the environment after performing maintenance. How can the administrator achieve this?

R. Mark the VM as an Agent VM in Prism Element

R. Mark the VM as a High Priority VM in Prism Element

Question 49

How can an administrator access a Windows VM running on a Nutanix cluster if it is unreachable via ping?

R. Open a Virtual Console through Prism Element

Question 50

What is the minimum RPO supported for a single-node or two-node cluster?

R. 6 hours

Question 51

After adding a remote site cluster, an administrator must map which two entities? (Choose two.)

R. Virtual Machines

R. Consistency Groups

Question 52

Refer to the exhibit...

An administrator notices that the Data Resiliency Status of some components has been reduced to 0, making it impossible to support a node failure in the cluster.

What failed component caused this issue?

R. CVM

Question 53

An application vendor had provided a VHD disk for their pre-configured virtual machine. A Nutanix cluster administrator imported that VHD disk into Image Configuration, but the disk does not list while using Clone from Image Service. Before uploading the vDisk again, which two actions should the administrator perform? (Choose two.)

R. Convert VHD to QCOW before uploading

R. Verify the Image is as type Disk

Question 54

An administrator wants to copy some virtual machine disk files to ADSF from an external VMware ESXi host.

Which two actions should the administrator take to complete this task? (Choose two.)

R. Mount container as NFS on external host

R. Configure whitelist on container

Question 55

Refer to the exhibit...

An administrator has created a new VM, but when accessing the console to monitor the guest install, the administrator sees the error shown in the exhibit.

What is the likely cause of this issue?

R. The installation media was not mounted.

Question 56

An administrator needs to have a view of current workloads sorted by vCPU count.

What should the administrator do to achieve this task?

R. Create a New Dashboard adding the VMs widget

Question 57

An administrator with an AHV cluster notices that time/date stamps in logs for some VMs are not correct. After investigating, the administrator finds that many of their user VMs are set to UTC

What two methods can be used to resolve the issue? (Choose two.)

R. Configure NTP within Prism.

R. Configure the time zone for each VM using Prism.

Question 58

A new Project is being rolled out to an AHV cluster being monitored by Prism Central. The applications team indicates that the application managed by the project is very memory intensive. The administrator wants to be notified about any memory constraints, should they occur.

How would an administrator most effectively achieve this task?

R. Create a new Alert Policy for Memory Usage and set to Critical after 80%.

Question 59

Refer to the exhibit....

An administrator has five VMs running on AHV. After creating a new VM and attaching a NIC to the Network Name as shown in the exhibit, the new VM is not able to ping its gateway. The other five VMs are able to successfully communicate with the gateway using the same Network Name.

Which statement would explain why the new VM would not be able to ping its gateway?

R. The Network Name s assigned the wrong VLAN ID

Question 60

What happens when an HDD fails within a Nutanix cluster?

R. Data is reprotected automatically

Question 61

An administrator is looking to store a large amount of unstructured data with capabilities to set up a retention policy. Which Nutanix product meets this requirement?

R. Nutanix Objects

Question 62

Refer to the exhibit...

What is indicated by the yellow area of the chart?

R. Warning alerts

Question 63

Refer to the exhibit...

An administrator has received the error shown in the exhibit.

Which two steps should the administrator take, in preparation for opening a Nutanix support ticket? (Choose two.)

R. Get the Node Serial Number from IPMI

R. Get the DIMM Slot Number from the node BIOS

Question 64

Refer to the exhibit...

An administrator has created a new Windows VM and given it to the user. The user states that Only the C drive mapping is visible within the Windows OS.

What is causing this issue?

R. The user has not formatted and assigned drive letters to the additional disks.

Question 65

What is required to schedule VM snapshots?

R. Protection Domain

Question 66

A mission critical application with four VMs have been deployed inside of a six-node Nutanix cluster. An alert is generated that a node in the cluster has failed and is no longer online. After the alert, two of the VMs reboot and come back online on another node.

Which feature, when configured, would have prevented the two VMs from rebooting?

R. Host Affinity

Question 67

Which component allows you to pair sites for Disaster Recovery Policy Creation using Nutanix Leap?

R. Availability Zones

Question 68

Which two Protection Domain features require a configured schedule of less than 15 minutes? (Choose two.)

R. Metro Availability DR

R. NearSyncRD

Question 69

An administrator has moved several workloads from a legacy vSphere virtual infrastructure to a modern Nutanix AHV cluster. After performing this action the administrator realizes they are missing vCenter inventories that would be used to classify the VMs by specific prefixes.

What is the fastest way in Prism Central to group VMs with the specified criteria?

R. Categories

Question 70

Refer to the exhibit...

An administrator wants to make sure there are enough compute resources within the AHV-based Nutanix cluster during any maintenance operations or a node failure.

What configuration should the administrator change to achieve this task?

R. Enable MA Reservation

Question 71

Refer to the exhibit.

The reference exhibit above is from a newly-created VM. When the administrator powers on the VM. GuestOS installation is not happening What is causing this issue?

R. GuestOS installer is not loaded in the CD-ROM

Question 72

An administrator has a physical server that provides Active Directory service. It has been hesitant to virtualize it due to its mission critical nature. What can the administrator do to ensure that Active Directory experiences the least downtime When hosted on Nutanix?

R. Mark the VM as an Agent VM.

Question 73

Refer to the exhibit...

An administrator reviews the error in the exhibit then examines the state of the cluster. The administrator finds that the AHV host is up and functional, but the cluster capacity is low.

What will happen to the VMs on the host with this Controller VM?

R. They will reboot onto other nodes in the cluster.

Question 74

A developer requests that a VM connects to a block device from an older iSCSI disk array, in order to support an application being transitioned to Nutanix.

What should the Nutanix administrator do to complete this task?

R. Use Volumes to add the device as a drive letter.

Question 75

Which two Nutanix features offer the ability to restore a VM? (Choose two.)

R. Data Protection

R. Nutanix Leap

Question 76

An administrator completed a successful AOS upgrade, but saw the following alert the following day: Detected incompatible AHV version What is most likely causing this alert?

R. AHV is not at the version that came with the upgraded AOS.

Question 77

What Nutanix product provides multi-cloud cost and security governance?

R. Beam

Question 78

An administrator is concerned that a VM on a hybrid cluster with 8GB RAM and 4 vCPUs is performing poorly. An analysis of the VM indicates that CPU utilization is at 50%. Memory utilization is at 30%. and disk latency is at 18ms.

What can the administrator do to improve performance?

R. Enable Flash Mode

Question 79

An administrator has recently added two nodes to an existing three-node vSphere-based Nutanix cluster.

After adding the nodes to the cluster, the administrator tries to migrate a few VMs to the new nodes, but found that no datastore exist on these new nodes yet

What action should the administrator take to resolve this issue?

R. Click Mount on all ESXi hosts on containers

Question 80

Prism Central is managing two clusters, one AHV-based and one vSphere-based vSphere cluster using a stored Prism image, without success.

Why is the administrator experiencing this issue?

R. The Virtual Hardware in the image does not match the vSphere version.

Question 81

An administrator wants to deploy a virtual desktop solution on a Nutanix cluster and wants to use the existing production network segment. Due to security concerns, DHCP traffic is blocked on the upstream network switch.

How should the administrator proceed?

R. Enable IPAM and configure an IP Address Pool

Question 82

Which Deduplication technique could be used to increase the effective storage capacity of a cluster?

R. Post-process deduplication

Question 83

An administrator has been asked to investigate performance issues for a business critical application. The application runs on a single VM. What is easiest way for the administrator to begin troubleshooting this issue?

R. On the Analysis page, create an entity chart with all metrics included

Question 84

Which Nutanix component can be placed into a third site, in order to assist the primary and secondary sites during a failure event?

R. Witness VM

Question 85

What are two types of Protection Domains that Nutanix offers for Data Protection? (Choose two.)

R. Metro Availability

R. Async DR

Question 86

An administrator needs to upgrade AOS for a dark site cluster by using Prism. What step needs to be completed prior to performing the upgrade?

R. Manually upload AOS binaries and metadata

Question 87

Protection Domains enable administrators to replicate which two items for Disaster Recovery? (Choose two)

R. Volume Groups

R. Virtual Machines

Question 88

An administrator recently installed Prism Central to use Categories. After having created Categories and Values, the administrator needs to apply these Categories to multiple workloads.

How can the administrator easily perform this task?

R. Choose multiple VMs and select Manage Categories

Question 89

An administrator is managing two AHV and vSphere-based clusters. The administrator is able to install a Windows Guest OS from an ISO Image to VMware VMs, but is unable to do the same activity with AHV VMs.

What should the administrator do to successfully perform this action with AHV VMs?

R. Provide virtIO drivers

Question 90

An administrator has been asked to add 200 virtual machines to their existing Nutanix cluster. Which Nutanix product will help them plan for this addition capacity?

R. Prism Pro

Question 1 (Exam A)

In Prism Element, to which object are policies such as replication factor and storage efficiency settings applied?

- **A.** Container

Question 2 (Exam A)

Which IP address can be used to directly access Prism Element?

- **B.** IP address of any CVM in the cluster

Question 3 (Exam A)

Where can an administrator find information about the Cluster Runway?

- **D.** Prism Central Analysis

Question 4 (Exam A)

What is the purpose of Discoveries within the Nutanix Support Portal?

- **A.** To identify clusters that are affected by known issues.

Question 5 (Exam A)

From Prism Central, how can an administrator access a cluster?

- **B.** Use the cluster quick access from the main dashboard widget.

Question 6 (Exam A)

Where can an administrator configure role-based access control (RBAC)?

- **D.** Prism Central


Question 7 (Exam A)

Which Prism Central feature can map images to target clusters using categories?

- **B.** Image Placement Policies

Question 8 (Exam A)

Refer to the exhibit.



What is true about the network uplink ports?

- **B.** They are configured in Active-Backup mode.

Question 9 (Exam A)

Which type of network supports automatically assigning IP addresses to VMs?

- **C.** Virtual Network with IPAM

Question 10 (Exam A)

Which directory should the LCM Framework Bundle be extracted to on a dark site web server in order to update the LCM Framework?

- **C.** software

Question 11 (Exam A)

Which feature or configuration is best for securing network traffic between the management and storage replication environments?

- **B.** Network Segmentation

Question 12 (Exam A)

Which Nutanix data efficiency mechanism replaces a traditional Replication Factor for suitable data?

- **C.** Erasure Coding

Question 13 (Exam A)

An administrator manages a memory-sensitive application that consists of multiple VMs. The administrator needs to understand if workloads, historically, have been evenly distributed across these VMs.

What should the administrator do?

- **B.** Run cluster efficiency summary report selecting all the VMs that constitute the applications.

Question 14 (Exam A)

An administrator receives an alert that a node has failed within a Nutanix AHV-based 10-node cluster. Before the failure, the cluster CPU and memory utilization was around 50%.

What actions will the cluster automatically take?

- **D.** All HA-protected VMs will be automatically restarted on other nodes in the cluster.

Question 15 (Exam A)

An administrator wants to have a single chart with the logical usage for three storage containers. Which action should the administrator perform?

- **A.** Create a new Metric Chart

Question 16 (Exam A)

What is Nutanix's scale-out storage technology that makes its hyperconverged platform possible?

- **B.** Distributed Storage Fabric

Question 17 (Exam A)

What is the effect of enabling Flash Mode?

- **B.** Sets the storage tier preference to SSD

Question 18 (Exam A)

An administrator needs to send weekly performance reviews to several line of business managers about VMs they are managing.

Which tool should the administrator use to satisfy this task?

- **D.** Prism Central Reports with a schedule

Question 19 (Exam A)

Which address allows external connections to Nutanix storage presented by the Volumes feature?

- **C.** Data Services IP

Question 20 (Exam A)

What does Replication Factor 2 (RF2) refer to?

- **D.** Number of copies of data written in the cluster

Question 21 (Exam A)

Which Nutanix storage service can store Petabytes of unstructured data and supports S3 APIs?

- **D.** Objects

Question 22 (Exam A)

Which LCM feature simplifies upgrades on clusters without Internet access?

- **C.** Direct Upload

Question 23 (Exam A)

Which Nutanix storage efficiency feature is suitable for nearly every workload?

- **B.** Deduplication

Question 24 (Exam A)

What is the minimum cluster size for Redundancy Factor 3?

- **C.** 5 nodes

Question 25 (Exam A)

How would an administrator upgrade the LCM framework to the latest version?

- **B.** Settings/Upgrade Software

Question 26 (Exam A)

What is the biggest benefit of the Redfish Protocol and LCM?

- **C.** BMC and BIOS update twice as quickly

Question 27 (Exam A)

Within a Nutanix cluster, an administrator is getting frequent failure alerts of the Cassandra and Stargate services for one of the nodes.

What action will be taken by the cluster?

- **A.** Put host in Maintenance Mode

Question 28 (Exam A)

What requirement needs to be considered before configuring Replication Factor of 1 (RF1)?

- **D.** Node count

Question 29 (Exam A)


A single host in a four-node AHV-based cluster experiences a complete network failure.

If more than enough resources exist in the cluster to tolerate a node failure, what happens to the user VMs running on that host?

- **C.** VMs automatically restart on the three remaining hosts.

Question 30 (Exam A)

Refer to the exhibit.



After an abrupt power outage, an administrator receives a number of alerts indicating disks are failed. Prism Element shows a large number of disks offline as seen in the diagram. This single block, four node cluster is configured FT1 with an RF2 container holding all user data. What number of drive failures on different domains (node, block, or rack) could this configuration have tolerated prior to seeing data unavailability?

- **A. 1**

Question 31 (Exam A)

An administrator needs to deploy a two-node cluster on a new ROBO Site.

What is required to maintain High Availability in the case of a node failure?

- **Witness VM**

Question 32 (Exam A)

What is required to successfully live migrate a VM Between two AHV clusters?

- **Configure a Protection domain with synchronous replication** correct

Question 33 (Exam A)

An administrator needs to expand a Nutanix cluster that is tagging the network traffic at the CVM and AHV level. However, the administrator doesn't remember the configured VLAN ID.

Which command can the administrator run to find the correct VLAN ID from the CVM?

- **ovs-vscl**

Question 34 (Exam A)

A New Project is Being rolled out to an AHV Cluter being monitored by prism Central , The Application team indicated that the application managed by the project is very memory intensive. The administrator wants to be notified about any memory constraints should they occur.

How would an administrator most effectively achieve this task?

- **Create a new alert policy for the memory Usage and set to critical after 80%.**

Question 35 (Exam A)

On which entity is Replication Factor configured?

- **Container**

Question 36 (Exam A)

What resource should be used to ensure a successful upgrade of the hypervisors and AOS within a vSphere-based Nutanix cluster?

- **Compatibility and Interoperability Matrix** correct

Question 37 (Exam A)

Where Does na administrator go to take a consolidated backup of the Key manager Servers?

- **Prism Central**

Question 38 (Exam A)

Which product or feature is most suitable for deploying a Microsoft SQL cluster in a Nutanix environment?

- **Objects**

Question 39 (Exam A)

Which NIC-teaming configuration balances network traffic based on source/destination IP addresses and TCP/UDP ports?

- **Active-Active with MAC Pinning**wrong

Question 40 (Exam A)

Nutanix Support Asked an administrator to provide AHV logs to help solve a support request. Which task should be performed to provide log files to the support team?

- **Run NCC Check from the command line**

Question 41 (Exam A)

A customer requires the ability to block all network traffic between their VDI VMs and their application VMs running on their Nutanix AHV clusters.

What Nutanix product would meet this requirement?

- **Flow**

Question 42 (Exam A)

What should an administrator do after a Protection Domain is migrated?

- **Power on Virtual Machines**

Question 43 (Exam A)

An administrator needs to upgrade AOS for an air gapped cluster by using Prism Element.

Which two actions allow the administrator to perform the upgrade? Choose Two

- **Manually Upload AOS binaries and metadata**
- **Use the LCM dark site Option Providing AOS Binaries**

Question 44 (Exam A)

An Administrator has recieved the following critical alert:

Node 192.168.148.172 is marked to be detached from metadata the administrator has opened a case with Nutanix and the support engineer has requested more information about the error.

Which two action should the administrator take in the health check dashboard to collect the requested information? Choose two

- **Run Logbaycorrect**
- **Run Nutanix cluster check**

Question 45 (Exam A)

An administrator is upgrading a current three-node Nutanix cluster with new HCI nodes.

Currently, the environment is based on a Single two-unit chassis hosted in one cabinet.

By simply changing the system form factor, what new level of resiliency may this customer achieve?

- **Block awareness**

Question 46 (Exam A)

How should an administrator view the storage consumed by the recycle bin?

- **In the Diagram or Table view on the Storage dashboard**

Question 47 (Exam A)

An administrator has recently expanded the Nutanix cluster and noticed that NCC health checks and alerts for newly-added nodes are not being received via email.

What should administrator do to resolve this issue?

- **Configure SMTP**

Question 48 (Exam A)

Which Windows technology does AHV support to prevent authentication theft?

- **Active Directory federation Services**

<https://freedumps.certqueen.com/nutanix-nca-6-certification-nca-6-5-exam-questions/>